

众志成城 共铸辉煌
Unity Together, Create Prosperity

TIANJIN XINYUE STEEL GROUP

TIANJIN XINYUE STEEL GROUP

HQ: Daqiuzhuang Industrial Area, Jinghai County, Tianjin, China, PC 301606

SEAMLESS STEEL PIPE TUBING & CASING

EXPORT OFFICE IN TIANJIN:

Address: 22nd Floor, North Tower, Vision Hill, Huayuan Industrial Zone,
NanKai District, Tianjin, China, PC 300384

Tel: +86-22-58357357, 58357359, 58357361

Fax: +86-22-58357360

Mail: sales@xinyuesteel.com

URL: www.xinyuesteel.com

EXPORT OFFICE IN HUNAN:

Address: Room 1808-1809, 18th Floor, Bailey Mansion,
No.208, South Xiaoxiang Avenue, Yuelu District,
Changsha, Hunan, China, PC 410000

Tel: +86-731-89702586, 89702576, 89702596

Fax: +86-731-89702586

Mail: sales@xysteelpipe.com

URL: www.xysteelpipe.com



天津信跃钢铁集团

天津信跃 成就卓越

Tianjin Xinyue makes excellence

XINYUE STEEL YOUR BEST CHOICE WITH ONE-STOP SOLUTION OF STEEL PIPE

信跃文化
XINYUE CULTURE

Xinyue Principle 信跃信条

诚信为本，客户至上，高质高效

Integrity-Based, Customer First, High Quality, High efficiency.

Xinyue Vision 信跃愿景

提升客户价值，专注优质产品（质量优，价格优，服务优，交期优）。

Advance Customer Value with Best Price, Good Quality, First-class Service, Fast Shipment.

Xinyue Goal 信跃目标

信跃钢铁，与你携手，共创辉煌

You and Xinyue Steel, Hand In Hand, Make Great Success.

众志成城，共铸辉煌
Unity Together, Create Prosperity

CONTENTS

Customer Satisfaction is the guarantee of brand
Quality assurance is the soul of brand

1 集团文化
GROUP CULTURE

2 集团介绍
GROUP INTRODUCTION

3 产业链组成
INDUSTRY CHAIN
--无缝钢管生产基地
SEAMLESS STEEL PIPE PRODUCTION BASE

4 品质保证
QUALITY CONTROL

5 资质证书
QUALIFICATION

6 工程案例
ENGINEERING CASE

ABOUT XINYUE YUE

关于我们

天津信跃钢铁集团源于1980年，位于天津市大邱庄工业区，临近天津港，是中国著名的大型钢管企业之一，集钢管生产、库存、代理、国内外销售为一体，竭诚为客户打造最优的品牌“价格最优，质量最优，交期最优，服务最优”。

信跃钢铁集团在天津、河北、山东等地投资了数个电阻焊钢管、螺旋埋弧焊钢管、直缝埋弧焊钢管、无缝钢管、油套管、钻杆、镀锌管、方矩管、脚手架以及扣件生产基地。

集团下各生产基地分别引进了国内外先进的技术及生产设备，在专业的工程师团队和生产部门引领下，时刻谨遵严格的ISO质量管理体系及各国生产标准规范，以确保产品的高品质。

公司始终坚持“诚信为本，客户至上，高质高效”的理念，以最好的服务回报客户，力求客户满意率100%。

集团下属的出口公司—天津信跃工贸有限公司，主要负责集团的钢管出口业务，产品已广泛用于多项国际石油天然气输送工程、疏浚打桩工程、水利、桥梁及油井工程等项目。出口辐射范围包括东南亚、中东、欧洲、南美以及非洲等地，并取得国内外广大客户的一致好评。

欢迎来到信跃！

信跃钢铁，与你携手，共创辉煌。

Tianjin Xinyue Steel Group was founded in 1980, located in Daqiu Zhuang Industrial Area, Tianjin, China, is one of the most famous enterprises of steel pipe in China, consolidating steel pipe production, stocking, distribution, domestic & international marketing. Our aim is to create the best corporation image for customer with "Best Price, High Quality, Fast Delivery, and First-Class Service".

Xinyue has invested several production bases in Tianjin, Hebei and Shandong Province, manufacturing ERW Steel Pipe, SSAW Steel Pipe, LSAW Steel Pipe, Seamless Steel Pipe, OCTG Tubing & Casing, Drill Pipe, Galvanized Steel Pipe, Hollow Section Tube, Scaffolding and couplers.

Equipped with domestic & international advanced technology and production line, and guided with the leadership of professional engineers and production team, Xinyue can strictly follow up ISO quality management system and meet regulations of various standards with the assurance of supreme quality.

Xinyue Steel always insists on the principle of "Integrity-Based, Customer First, High Quality, High efficiency", pursuing 100% customer satisfaction.

Tianjin Xinyue Industrial and Trade Co., Ltd, as a subsidiary under the group, is mainly responsible for exporting business under the group. Xinyue Steel has successfully supplied steel pipes for many international projects, engaging in petroleum & gas pipeline, dredging, piling, bridge building, water conservancy, oil well and other projects. Our market share is spreading all over the world, such as Southeast Asia, Mideast, Europe, South America, Africa and so on, obtaining a good reputation among customers.

Welcome to join Xinyue, Hand in Hand, Create Win-Win Business!

企业架构 CORPORATION STRUCTURE

Chinese
steel
pipe
forerunner



无缝钢管生产基地

SEAMLESS PIPE PRODUCTION BASE

信跃无缝钢管生产基地设有热轧生产线，冷拔生产线，全自动热处理调质线，油井管加工线及钻杆加工线，年生产能力可达75万吨。

公司主要生产各类无缝钢管，包括油套管、钻杆、气瓶管、高、中、低压锅炉管，高压化肥设备用无缝钢管、输送流体用无缝钢管、石油裂化用无缝钢管、结构管等等，生产口径从10.3mm 到914.4mm，其中管线管生产钢级最高可达X100。

公司拥有配套齐全先进的实验室，可完成化学成份分析、金相分析、拉伸试验、低温冲击试验、硬度试验等测试，同时各生产线配备有漏磁探伤、涡流探伤，超声波探伤和水压试验机等在线检测和试验设备，实现了对原材料、生产及成品的全方位的监测和分析，为产品质量提供强有力的保障；并先后通过了API 5L（美国石油学会）认证、API 5CT认证、API 5DP 认证，PED 认证 以及ISO9001质量管理体系、ISO14001环境管理体系和OHSAS18001职业健康安全管理体系认证。

公司坚持走以质量创造品牌的公司发展路线，严把质量关，追求零缺陷，打造客人满意工程，产品已广泛用于石油、天然气、化工、电力、热电、锅炉、冶金、造船等重大工程。

Xinyue Seamless Steel Pipe Production Base has installed with hot-rolled production line, cold-drawn production line, automatic heat treatment line, OCTG and drill pipe processing line, with annual production capacity achieving 750,000 tons.

The mill can produce various seamless steel pipe, including OCTG tubing & casing, drill pipe, cylinder tube, high, medium and low pressure boiler tube, high pressure chemical fertilizer equipment pipe, fluid transmission pipe, petroleum cracking pipe, structure tube and etc..., the manufacturing diameter from diameter 10.3mm to 914.4mm, the highest line pipe steel grade can be produced to X100.


Installed with complete and advanced laboratory, Xinyue can operate chemical composition analysis, metallographic analysis, tensile test, low temperature impact test, hardness test, and etc., together with various on-line inspection facilities, we also can proceed leakage magnetic flaw detection test, eddy current test, ultrasonic test, hydrostatic pressure test, and etc, which give Xinyue the ability to monitor the whole production procedure and guarantee the quality step by step since raw material to delivery. Under the leadership of professional production and management team, the mill has gained American Petroleum Institute API 5L Certificate, API 5CT Certificate, API 5DP Certificate, ISO9001 quality management system accreditation, ISO14001 environmental management system accreditation and OHSAS18001 occupational health and safety management system accreditation.

Believing "Quality Foster Brand" is the soul of Xinyue's development, we strictly monitor product's quality, pursue zero defects, aiming to create a customer satisfaction project. Xinyue Steel Pipe has widely applied in oil, natural gas, chemical, power plant, electricity, boiler, metallurgy, shipbuilding and other industries.


管坯生产 (Round billet manufacturing process)



制管 (Tubet manufacturing process)



油井管加工 (OCTG finishing process)



众志成城，共铸辉煌
Unity Together, Create Prosperity



全自动生产线
Automatic Production Line



一流设备

国际领先

First-class equipment, Leading international
赢在起跑线上...

Win at the starting line



Billet 圆坯

品质铸就品牌，品牌引领未来

Quality Foster Brand, Brand Lead Future

先进的自动化生产设备，流水线精良制作，尽显一流品质，保证产品的稳定性和可靠性万无一失。依靠核心技术，创造名牌产品，不管世界如何变化，信跃人精益求精的执着精神不变。


With advanced automatic production line and detailed processing control, Xinyue can produce the first-class steel pipe with stable and reliable performance. Strong believing quality and core technology create brand, Xinyue has never changed the spirit of striving for zero defects products, whatever the world change.



环形加热炉 Ring-Type Heating Furnace



在线检测设备 ONLINE INSPECTION FACILITIES



精良的设备是产品质量的保证 Excellent Equipment Guarantee Supreme Quality.

公司引进先进的生产设备,实现了生产自动化。操作方便,加工精度高,为良好的产品质量奠定了坚实的基础。

Xinyue has introduced advanced production equipment. The production line is automatic controlled with the advantage of easy operation and high process accuracy, which has laid a solid foundation of good quality.

众志成城，共铸辉煌
Unity Together, Create Prosperity

管线管 LINE PIPE

标准 Standard: API 5L PSL1 / PSL2, GB/T9711

用途 Usage: Oil, Natural Gas, Water and fluid transmission purpose

Standard	Grade	Remarks
API 5L PSL1	B, X42, X46, X52, X56, X60, X65, X70, X80, X90, X100	
API 5L PSL2	BN, X42N, X46N, X52N, X56N, X60N, X65Q, X70Q, X80Q, X90Q, X100Q	
API 5L PSL2(Annex H)	BNS, BQS, X42NS, X42QS, X46NS, X46QS, X52NS, X52QS, X56QS, X60QS, X65QS, X70QS	SOUR SERVICE
API 5L PSL2(Annex J)	BNO, BQO, X42NO, X42QO, X46NO, X46QO, X52NO, X52QO, X56QO, X60QO, X65QO, X70QO, X80QO, X90QO, X100QO	OFFSHORE SERVICE
GB/T9711	L245N, L290N, L320N, L360N, L390N, L415N, L450Q, L485Q, L555Q	

NOMINAL PIPE SIZE		OUTSIDE DIAMETER	NOMINAL WALL THICKNESS													
DN	INCH		MM	SCH10	SCH20	SCH30	STD	SCH40	SCH60	XS	SCH80	SCH100	SCH120	SCH140	SCH160	XXS
6	1/8"	10.3	-	-	-	1.73	1.73	-	2.41	2.41	-	-	-	-	-	-
8	1/4"	13.7	-	-	1.85	2.24	2.24	-	3.02	3.02	-	-	-	-	-	-
10	3/8"	17.1	-	-	1.85	2.31	2.31	-	3.20	3.20	-	-	-	-	-	-
15	1/2"	21.3	2.11	-	2.41	2.77	2.77	-	3.73	3.73	-	-	-	-	4.78	7.47
20	3/4"	26.7	2.11	-	2.41	2.87	2.87	-	3.91	3.91	-	-	-	-	5.56	7.82
25	1"	33.4	2.77	-	2.90	3.38	3.38	-	4.55	4.55	-	-	-	-	6.35	9.09
32	1 1/4"	42.2	2.77	-	2.97	3.56	3.56	-	4.85	4.85	-	-	-	-	6.35	9.70
40	1 1/2"	48.3	2.77	-	3.18	3.68	3.68	-	5.08	5.08	-	-	-	-	7.14	10.15
50	2"	60.3	2.77	-	3.18	3.91	3.91	-	5.54	5.54	-	-	-	-	8.74	11.07
65	2 1/2"	73	3.05	-	4.78	5.16	5.16	-	7.01	7.01	-	-	-	-	9.53	14.02
80	3"	88.9	3.05	-	4.78	5.49	5.49	-	7.62	7.62	-	-	-	-	11.13	15.25
90	3 1/2"	101.6	3.05	-	4.78	5.74	5.74	-	8.08	8.08	-	-	-	-	-	-
100	4"	114.3	3.05	-	4.78	6.02	6.02	-	8.56	8.56	-	11.13	-	-	13.49	17.12
125	5"	141.3	3.40	-	-	6.55	6.55	-	9.53	9.53	-	12.70	-	-	15.88	19.05
150	6"	168.3	3.40	-	-	7.11	7.11	-	10.97	10.97	-	14.27	-	-	18.26	21.95
200	8"	219.1	3.76	6.35	7.04	8.18	8.18	10.31	12.70	12.70	15.09	18.26	20.62	23.01	22.23	-
250	10"	273	4.19	6.35	7.80	9.27	9.27	12.70	12.70	15.09	18.26	21.44	25.40	28.58	25.40	-
300	12"	323.8	4.57	6.35	8.38	9.53	10.31	14.27	12.70	17.48	21.44	25.40	28.58	33.32	25.40	-
350	14"	355.6	6.35	7.92	9.53	9.53	11.13	15.09	12.70	19.05	23.83	27.79	31.75	35.71	-	-
400	16"	406.4	6.35	7.92	9.53	9.53	12.7	16.66	12.70	21.44	26.19	30.96	36.53	40.19	-	-
450	18"	457.2	6.35	7.92	11.13	9.53	14.27	19.05	12.70	23.83	30.96	34.93	39.67	45.24	-	-
500	20"	508	6.35	9.53	12.70	9.53	15.09	20.62	12.70	26.19	32.54	38.10	44.45	50.01	-	-
550	22"	558.8	6.35	9.53	12.70	9.53	-	22.23	12.70	28.58	34.93	41.28	47.63	53.98	-	-
600	24"	609.6	6.35	9.53	14.27	9.53	17.48	24.61	12.70	30.96	38.89	46.02	52.37	59.54	-	-
650	26"	660.4	7.92	12.7	-	9.53	-	-	12.70	-	-	-	-	-	-	-
700	28"	711.2	7.92	12.7	15.88	9.53	-	-	12.70	-	-	-	-	-	-	-
750	30"	762	7.92	12.7	15.88	9.53	-	-	12.70	-	-	-	-	-	-	-
800	32"	812.8	7.92	12.7	15.88	9.53	17.48	-	12.70	-	-	-	-	-	-	-
850	34"	863.6	7.92	12.7	15.88	9.53	17.48	-	12.70	-	-	-	-	-	-	-
900	36"	914.4	7.92	12.7	15.88	9.53	19.05	-	12.70	-	-	-	-	-	-	-

Note: Other Sizes can be also provided according to different standard requirement.

非常品质

有口皆碑

Top Quality, Everyone Knows

跨出国门有知音，天下谁人不识君...

API 5CT 油管

API 5CT Tubing

Code 代码	2.00			外径 mm	Theoretical Weight 名义重量			壁厚 mm	Type Of End-finish 端部加工形式						
	NU T&C	EU T&C	IJ		NU T&C kg/m	EU T&C kg/m	IJ kg/m		H40	J55/K55	L80/R95	N80-1/Q	C90	T95	P110
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1.660	2.09	-	2.1	42.16	-	-	3.13	3.18	PI	PI	-	-	-	-	-
	2.30	2.40	2.33	42.16	3.42	3.57	3.47	3.56	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI	-
	3.03	3.07	-	42.16	4.51	4.57	-	4.85	PU	PU	PU	PU	PU	PU	PU
1.900	2.40	-	2.4	48.26	-	-	3.57	3.18	PI	PI	-	-	-	-	-
	2.75	2.90	2.76	48.26	4.09	4.32	4.11	3.68	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI	-
	3.65	3.73	-	48.26	5.43	5.55	-	5.08	PU	PU	PU	PU	PU	PU	PU
	4.42	-	-	48.26	6.58	-	-	6.35	-	-	P	-	P	P	-
	5.15	-	-	48.26	7.66	-	-	7.62	-	-	P	-	P	P	-
2.063	3.24	-	3.25	52.40	-	-	4.84	3.96	PI	PI	PI	PI	PI	PI	PI
	4.50	-	-	52.40	-	-	-	5.72	P	P	P	P	P	P	P
2 3/8	4.00	-	-	60.32	5.95	-	-	4.24	PN	PN	PN	PN	PN	PN	-
	4.60	4.70	-	60.32	6.85	6.99	-	4.83	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI
	5.80	5.95	-	60.32	8.63	8.85	-	6.45	-	-	P	-	P	P	-
	6.60	-	-	60.32	9.82	-	-	7.49	-	-	P	-	P	P	-
	7.35	7.45	-	60.32	10.94	11.09	-	8.53	-	-	PU	-	PU	PU	-
	6.40	6.50	-	73.02	9.52	9.67	-	5.51	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI
2 7/8	7.80	7.90	-	73.02	11.61	11.76	-	7.01	-	-	PNUI	PNUI	PNUI	PNUI	-
	8.60	8.70	-	73.02	12.80	12.95	-	7.82	-	-	PNUI	PNUI	PNUI	PNUI	-
	9.35	9.45	-	73.02	13.91	14.06	-	8.64	-	-	PU	-	PU	PU	-
	10.50	-	-	73.02	15.63	-	-	9.96	-	-	P	-	P	P	-
	11.50	-	-	73.02	17.11	-	-	11.18	-	-	P	-	P	P	-
3 1/2	7.70	-	-	88.90	11.46	-	-	5.49	PN	PN	PN	PN	PN	PN	-
	9.20	9.30	-	88.90	13.69	13.84	-	6.45	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI
	10.20	-	-	88.90	15.18	-	-	7.34	PN	PN	PN	PN	PN	PN	-
	12.70	12.95	-	88.90	18.90	19.27	-	9.52	-	-	PNUI	PNUI	PNUI	PNUI	PNUI
	14.30	-	-	88.90	21.28	-	-	10.92	-	-	P	-	P	P	-
	15.50	-	-	88.90	23.07	-	-	12.09	-	-	P	-	P	P	-
4	17.00	-	-	88.90	25.30	-	-	13.46	-	-	P	-	P	P	-
	9.50	-	-	101.60	14.14	-	-	5.74	PN	PN	PN	PN	PN	PN	-
	10.70	11.00	-	101.60	-	16.37	-	6.65	PU	PU	PU	PU	PU	PU	-
	13.20	-	-	101.60	19.64	-	-	8.38	-	-	P	-	P	P	-
	16.10	-	-	101.60	23.96	-	-	10.54	-	-	P	-	P	P	-
	18.90	-	-	101.60	28.13	-	-	12.70	-	-	P	-	P	P	-
	22.20	-	-	101.60	33.04	-	-	15.49	-	-	P	-	P	P	-
4 1/2	12.60	12.75	-	114.30	18.75	18.97	-	6.88	PNUI	PNUI	PNUI	PNUI	PNUI	PNUI	-
	15.20	-	-	114.30	22.62	-	-	8.56	-	-	P	-	P	P	-
	17.00	-	-	114.30	25.30	-	-	9.65	-	-	P	-	P	P	-
	18.90	-	-	114.30	28.13	-	-	10.92	-	-	P	-	P	P	-
	21.50	-	-	114.30	32.00	-	-	12.70	-	-	P	-	P	P	-
	23.70	-	-	114.30	35.27	-	-	14.22	-	-	P	-	P	P	-
	26.10	-	-	114.30	38.84	-	-	16.00	-	-	P	-	P	P	-

Remark:

P = Plain end 平口

N = Non-upset threaded and coupled (NU T&C) 不加厚带螺纹和接箍

U = External Upset threaded and coupled (EU T&C) 外加厚带螺纹和接箍

I = Integral Joint (IJ) 整体接头

长度范围 Range Lengths

DIMENSIONS IN METRES

Item	Range 1	Range 2	Range 3
Casing	4.88-7.62	7.62-10.36	10.36-14.63
Threaded and coupled tubing and casing used as Tubing	6.10-7.32	8.53-9.75	11.58-12.80
Integral tubing connections (including IJ/PE and IJ/SF)	6.10-7.92	8.53-10.36	11.58-13.72
Pup Joints	0.5-6.0m		

钻杆

API DRILL PIPE

Standard 标准: API SPEC 5DP, API SPEC 5D, API SPEC 7
Steel Grade 钢级: E75, X95, G105, S135

尺寸 Size IN	公称重量 Nominal Weight lb/ft	管体外径 OD of pipe body		管体壁厚 Thickness of pipe body		级别 Grade	加厚形式 Upset Type	扣型 Conn.Type	公、母接头外径 OD Pin and Box		公接头内径 ID of Pin	
		IN	MM	IN	MM				IN	MM	IN	MM
2 3/8	6.65	2.375	60.32	0.280	7.11	E	EU	NC26 (2 3/8 IF)	3 3/8	85.70	1 3/4	44.45
						X			3 3/8	85.70	1 3/4	44.45
						G			3 3/8	85.70	1 3/4	44.45
2 7/8	10.40	2.875	73.02	0.362	9.19	E	EU	NC31 (2 7/8 IF)	4 1/8	104.80	2 1/8	53.98
						X			4 1/8	104.80	2	50.80
						G			4 1/8	104.80	2	50.80
						S			4 3/8	111.10	1 5/8	41.28
3 1/2	13.30	3.500	88.9	0.368	9.35	E	EU	NC38 (3 1/2 IF)	4 3/4	120.70	2 11/16	68.09
						X			5	127.00	2 9/16	65.09
						G			5	127.00	2 7/16	61.91
						S			5	127.00	2 1/8	53.98
3 1/2	15.50	3.500	88.9	0.449	11.4	E	EU	NC38 (3 1/2 IF)	5	127.00	2 9/16	65.09
						X			5	127.00	2 7/16	61.91
						G			5	127.00	2 1/8	53.98
						S			5 1/2	139.70	2 1/4	57.15
4	14.00	4.000	101.6	0.330	8.38	E	EU	NC46 (4 IF)	6	152.40	3 1/4	82.55
						X			6	152.40	3 1/4	82.55
						G			6	152.40	3 1/4	82.55
						S			6	152.40	3	76.20
4 1/2	16.60	4.500	114.3	0.337	8.56	E	IEU	NC46	6 1/4	158.75	3 1/4	82.55
						X			6 1/4	158.75	3	76.20
						G			6 1/4	158.75	3	76.20
						S			6 1/4	158.75	2 3/4	69.85
4 1/2	20.00	4.500	114.3	0.430	10.92	E	IEU	NC46	6 1/4	158.75	3	76.20
						X			6 1/4	158.75	2 3/4	69.85
						G			6 1/4	158.75	2 1/2	63.50
						S			6 1/4	158.75	2 1/4	57.15
5	19.50	5.000	127	0.362	9.19	E	IEU	NC50 (4 1/2 IF)	6 5/8	168.28	3 3/4	95.25
						X			6 5/8	168.28	3 1/2	88.90
						G			6 5/8	168.28	3 1/4	82.55
						S			7	177.80	2 3/4	69.85
5	19.50	5.000	127	0.362	9.19	E	IEU	NC50 (4 1/2 IF)	7	177.80	3 3/4	95.25
						X			7	177.80	3 3/4	95.25
						G			7	177.80	3 3/4	95.25
						S			7 1/4	184.15	3 1/2	88.90
5	25.60	5.000	127	0.500	12.7	E	IEU	NC50 (5 IF)	6 5/8	168.28	3 1/2	88.90
						X			6 5/8	168.28	3	76.20
						G			6 5/8	168.28	2 3/4	69.85
						S			7	177.80	3 1/2	88.90
5	25.60	5.000	127	0.500	12.7	E	IEU	5 1/2 FH	7	177.80	3 1/2	88.90
						X			7 1/4	184.15	3 1/2	88.90
						G			7 1/4	184.15	3 1/4	82.55
						S			7 1/4	184.15	3 1/4	82.55
5 1/2	21.90	5.500	139.7	0.360	9.17	E	IEU	5 1/2 FH	7	177.80	4	101.60
						X			7	177.80	3 3/4	95.25
						G			7 1/4	184.15	3 1/2	88.90
						S			7 1/2	190.50	3	76.20
5 1/2	24.70	5.500	139.7	0.420	10.54	E	IEU	5 1/2 FH	7	177.80	4	101.60
						X			7 1/4	184.15	3 1/2	88.90
						G			7 1/4	184.15	3 1/2	88.90
						S			7 1/2	190.50	3	76.20
6 5/8	25.20	6.625	168.28	0.330	8.38	E	IEU	6 5/8 FH	8	203.20	5	127.00
						X			8	203.20	5	127.00
						G			8 1/4	209.55	4 3/4	120.65
						S			8 1/2	215.90	4 1/4	107.95
6 5/8	27.70	6.625	168.28	0.362	9.19	E	IEU	6 5/8 FH	8	203.20	5	127.00
						X			8 1/4	209.55	4 3/4	120.65
						G			8 1/4	209.55	4 3/4	120.65
						S			8 1/2	215.90	4 1/4	107.95



锅炉管

Boiler tube

Size: OD 10.3 mm– 914.4mm

标准 STANDARD	钢级 STEEL GRADE
GB3087	10, 20
GB5310	20G, 20MnG, 25MnG, 15CrMoG, 12Cr1MoVG, 12Cr2MoG, 12Cr2MoWVTiB
DIN17175	ST35.8, ST45.8, 17Mn4, 19Mn5, 15Mo3, 13CrMo44, 10CrMo910, 14MoV63
ASME SA-106	GR A, GR B, GR C
ASME SA-209	T1, T1A, T1B
ASME SA-210M	GR A-1, GR C
ASME SA-213M	T2, T5, T9, T11, T12, T22, T23, T91, T92
ASME SA-335M	P1, P2, P5, P9, P11, P12, P22, P23, P91, P92
ASME SA-192M	SA-192
ASME SA-333	SA333-1, SA333-3, SA333-4, SA333-6, SA333-7, SA333-8, SA333-9, SA333-10, SA333-11
JIS G 3461	STB340, STB410, STB510
JIS G 3462	STBA 12, STBA 13, STBA 20, STBA22, STBA 23, STBA 24, STBA 25, STBA 26
JIS G 3456	STPT370, STPT410, STPT480
JIS G 3458	STPA12, STPA20, STPA22, STPA23, STPA24, STPA 25, STPA26
EN10216-1	P195TR1, P195TR2, P235TR1, P235TR2, P265TR1, P265TR2
EN10216-2	P195GH, P235GH, P265GH, 16Mo3, 13CrMo4-5, 10CrMo9-10
EN10028-2	P235GH, P265GH, P355GH, 16Mo3, WB36



机械管

Mechanical Pipe

标准 STANDARD	钢级 STEEL GRADE
EN10210	S235JRH, S275J0H, S275J2H, S355J0H, S355J2H
EN10297	E235, E275, E315, E355, E470, E420J2, 30CrMo4, 34CrMo4, 42CrMo4
ASTM A519	1008, 1010, 1016, 1018, 1020, 1026, 1030, 1518, 1524, 1541, 4130, 4135, 4140, 4145

气瓶管


Cylinder Pipe

标准 STANDARD	钢级 STEEL GRADE
GB18248	37Mn, 34Mn2V, 30CrMo, 35CrMo, 34CrMo4
ASTM A519	4130X, 4140X



产品展示

PRODUCT SHOW



质量控制

信跃集团拥有专业的工程师, 优秀的生产团队以及严格的ISO9001质量管理体系, 时刻为客户打造安全、可靠、质量信得过的产品。

Xinyue Steel possess with professional engineers & first-class production team and strict ISO 9001 quality and safety management system, pursuing to provide customer with safe, credible and quality trustworthy products.

Quality Control

信跃坚持以质量求生存, 以技术进步谋发展, 始终把打造精品作为企业生存的基本法则, 通过原料质量控制、生产过程质量控制和成品检测控制, 保证为客户提供满意合格的产品。

Insisting on the tenet of "Survive With Quality, Develop With Credibility", Xinyue always provide customers with "Quality Trustworthy Products", under the strict control on the raw material inspection, online production inspection, finished pipe inspection and delivery.

Installed with well equipped laboratory, Xinyue can perform full set of experiments according to various domestic and international standards, including Chemical Composition Analysis, Metallurgical Analysis, Mechanical Property Test, Tension Test, Bending Test, Flattening Test, Hardness Test, Impact Test, Drop Weight Tear Test, and etc.



众志成城，共铸辉煌
Unity Together, Create Prosperity

QUALIFICATIONS

and honors 资质荣誉……



Honor Witness History
Strength Prospect Future

HONOR

INTEGRITY IS THE FOUNDATION SERVE THE SOCIETY

客户的满意始终是信跃的第一位
千锤百炼成就信跃品质
信跃，您可以信赖的伙伴
我们坚信品质是永续不变的潮流
信跃—行业的领航者

Customers' full satisfaction is always Xinyue's first priority
Severe controlled and steeled quality is Xinyue's soul
Do the respect and trustworthy enterprise
We firmly believe the quality is the permanent core
Xinyue - the pionner of the industry

