

众志成城 共铸辉煌  
Unity Together, Creat Prosperity

# TIANJIN XINYUE STEEL GROUP

## Tianjin Xinyue Steel Group

HQ: Daqiu Zhuang Industrial Area, Jinghai County, Tianjin, China, PC 301606

Tel: +86-731-89702576, 89702586, 89702596

Fax: +86-731-89702586

Mail: sales@xysteelpipe.com

URL: www.xysteelpipe.com



天津信跃钢铁集团

天津信跃 成就卓越

Tianjin Xinyue makes excellence



# XINYUE STEEL YOUR BEST CHOICE WITH ONE-STOP SOLUTION OF STEEL PIPE

信跃文化  
XINYUE CULTURE

## Xinyue Principle 信跃信条

诚信为本，客户至上，高质高效

Credit-Based, Customer First, High Quality, High efficiency.

## Xinyue Vision 信跃愿景

提升客户价值，专注优质产品（质量优，价格优，服务优，交期优），

Advance Customer Value with Best Price, Good Quality, First-class Service, Fast Shipment.

## Xinyue Goal 信跃目标

信跃钢铁，与你携手，共创辉煌

You and Xinyue Steel, Hand in Hand, Make Great Success.



众志成城，共铸辉煌

# CONTENTS

Satisfying service is the guarantee of brand  
Quality assurance is the soul of brand

- 1** 集团文化  
GROUP CULTURE
- 2** 公司介绍  
INTRODUCTION
- 3** 产业链组成  
INDUSTRY CHAIN
- 4** 品质保证  
QUALITY CONTROL
- 5** 资质证书  
QUALIFICATION
- 6** 工程案例  
ENGINEERING CASE



# ABOUT XIN YUE

## 关于我们

天津信跃钢铁集团位于天津市大邱庄工业区，临近天津港，是中国主要的大型钢管企业之一，集钢管生产，库存，国内外销售为一体。竭诚为客户打造最优的钢管品牌：“价格最优，质量最优，交期最优，服务最优”。

信跃钢铁集团在天津和河北等地拥有数个电阻焊钢管，螺旋埋弧钢管，直缝埋弧钢管，无缝钢管，脚手架以及扣件生产基地。

集团下各生产基地分别引进了国内外先进的技术及生产设备，在专业的工程师团队和生产部门引领下，时刻谨遵严格的ISO质量管理体系及各国生产标准规范，以确保产品的高品质。

公司始终坚持“诚信为本，客户至上，高质高效”的理念，以最好的服务回报客户，力求客户满意率100%。

集团下属的出口公司-天津信跃工贸有限公司，主要负责集团的钢管出口业务，产品广泛用于输送石油、天然气、水、建筑钢结构、海岸建设、疏浚和打桩等工程。目前集团已承揽多项国际石油天然气输送工程，疏浚打桩工程，桥梁工程等。出口辐射范围包括东南亚，中东，欧洲，南美以及非洲等地，已取得国内外广大客户一致好评。

欢迎来到信跃！

**信跃钢铁，与你携手，共创辉煌。**

Tianjin Xinyue Steel Group ,located in Daqiu Zhuang Industrial Area, Tianjin,China, is one of the most famous enterprise of steel pipe in China.consolidating steel pipe production, stocking, domestic & international marketing. Our aim is creating the best corporation visualization for customer with " Best Price , High Quality , Fast Delivery, First-Class Service".

Xinyue set up several production bases in Tianjin & Hebei Province, manufacturing ERW Steel Pipe, SSAW Steel Pipe, LSAW Steel Pipe, Seamless Steel Pipe, Scaffolding system and couplers.Equip with domestic & international advance technology, production and inspection facilities, our factory is strictly following up ISO quality management system and international standard & regulation under the leadership of professional engineers and production team.

Xinyue Steel Group always insist on the principle of " Credit-Based , Customer First , High Quality , High efficiency " , pursuing 100% customer satisfaction.

Tianjin Xinyue Industrial and Trade Co.,Ltd, as a subsidiary under the group, is mainly responsible of the exporting business of the group. Xinyue's steel pipe is widely applied in petroleum&gas pipeline, water pipeline, construction & building, dredging and piling projects.Xinyue Steel Group has successfully supplied steel pipes for many international projects, engaging in petroleum&gas pipeline, dredging , piling and bridge building projects. Our sales market is spreading all over the world, such as Southeast Asia, Mid-east, Europe, South America, Africa and so on, obtaining a good reputation among customers.

Welcome to Xinyue!

Xinyue steel , your best choice with one-stop solution of steel pipe.

## 企业架构 CORPORATION STRUCTURE

Chinese  
steel  
pipe  
forerunner





众志成城，共铸辉煌



Φ3000mm 后摆螺旋焊管机组  
Backswing spiral welded steel pipe equipment

## 螺旋钢管生产基地

SSAW Steel Pipe Production Base

螺旋生产基地拥有六条双面埋弧螺旋焊管生产线，可生产直径219.1-3048mm，壁厚5.0-30mm，长度3-70米，年生产量达40万吨。

产品生产严格遵循国内外质量标准，包括：

API 5L PSL1/PSL2: GR B, X42, X52, X56, X60, X65, X70, X80

ASTM A252: GR 1, GR 2, GR 3

EN: S235JRH, S275, S355JOH, S355J2H, S420, S460....

BS, JIS, DIN, GB以及其它相关国内外标准。

工厂已通过ISO9001:2008国际质量管理体系认证，并获得美国石油学会认证的“API 5L PSL1/PSL2”以及CE认证。

The factory is equipped with 6 spirally double-side submerged arc welded pipe production lines , producing the SSAW steel pipes:

Out diameter: 219.1mm to 3048mm

Wall Thickness: 5.0- 30mm

Length: 0.3 - 70m

The annual production capacity can reach 400,000 metric tons.

All the pipe we produce are strictly complying with domestic & international quality standard,including:

API 5L PSL1/PSL2: GR B, X42, X52,X56, X60,X65,X70,X80

ASTM A252: GR 1, GR 2, GR 3

EN: S235JRH, S275, S355JOH, S355J2H, S420, S460....

BS, JIS, DIN , GB and so on.

The factory has already awarded with ISO 9001:2008 International quality management systems, API 5L PSL1/PSL2 issued by American Petroleum Institute and CE certificate.



Straightener

Forming

Ultrasonic Tester

Hydrostatic Tester





## 电阻焊管生产基地

电阻焊管生产基地拥有六生产线，可生产直径21.3-660mm,壁厚1.5-22.2mm，长度0.3-18米，年生产量达45万吨。

产品生产严格遵循国内外质量标准，包括：

API 5L PSL1/PSL2: GR B, X42, X52, X56, X60, X65, X70, X80

ASTM A53: GR A, GR B, ASTM A252: GR 1, GR 2, GR 3

EN: S235JRH, S275, S355JOH, S355J2H, S420, S460, BS, JIS, DIN, GB以及其它相关国内外标准。

工厂已通过ISO9001:2008 国际质量管理体系认证，并获得美国石油学会认证的“API 5L PSL1/PSL2”和“API 5CT”资质以及CE认证。

## ERW Steel Pipe Production Base

The factory is equipped with 6 high frequency electric resistance welded pipe production lines, producing the ERW steel pipes:

Out diameter: 21.3mm to 660mm

Wall Thickness: 1.5 - 22.2mm

Length: 0.3 - 18m

The annual production capacity can reach 450,000 metric tons.

All the pipe we produce are strictly complying with domestic & international quality standard, including:

API 5L PSL1/PSL2: GR B, X42, X52, X56,

X60, X65, X70, X80

ASTM A53: GR A, GR B,

ASTM A252: GR 1, GR 2, GR 3

EN: S235JRH, S275, S355JOH, S355J2H, S420, S460....

BS, JIS, DIN, GB and so on.

The factory has already awarded with ISO 9001:2008 International quality management system, API 5L PSL1/PSL2 & API 5CT certificate issued by American Petroleum Institute and CE certificate.



众志成城，共铸辉煌



## 直缝埋弧焊管生产基地

直缝埋弧焊管生产基地引进国际先进的JCOE生产技术，可生产直径355.6mm至1626mm，壁厚8-50mm，钢级达X80的直缝埋弧焊管，年生产量达30万吨。

产品生产严格遵循国内外质量标准包括：

API 5L PSL1/PSL2: GR B, X42, X52, X56, X60, X65, X70, X80

ASTM A53: GR A, GR B, ASTM A252: GR 1, GR 2, GR 3

EN: S235JRH, S275, S355JOH, S355J2H, S420, S460, BS, JIS, DIN, GB以及其它相关国内外标准。

工厂已通过ISO9001:2008 国际质量管理体系认证，并获得美国石油学会认证的“API 5L PSL1/PSL2”和“API 5CT”资质以及CE认证。



## LSAW Steel Pipe Production Base

Introducing with JCOE technology, the factory can produce LSAW Steel Pipe:

Out diameter: 355.6mm to 1626mm

Wall Thickness: 8- 50mm

Length: up to 12m

The annual production capacity can reach 300,000 metric tons.

All the pipe we produce are strictly complying with domestic & international quality standard, including:

API 5L PSL1/PSL2: GR B, X42, X52, X56,

X60, X65, X70, X80

ASTM A53: GR A, GR B,

ASTM A252: GR 1, GR 2, GR 3

EN: S235JRH, S275, S355JOH, S355J2H, S420, S460....

BS, JIS, DIN, GB and so on.

The factory has already awarded with ISO 9001:2008 International quality management system, API 5L PSL1/ PSL2 & API 5CT certificate issued by American Petroleum Institute and CE certificate.



众志成城，共铸辉煌

## 无缝钢管生产基地

无缝钢管生产基地拥有180mm 无缝穿孔机一台，热扩设备11台，可生产直径 10.3至914.4mm,壁厚1.73至40mm的无缝钢管,年生产量达35万吨。

产品生产严格遵循国内外质量标准，包括：

API 5L PS1/PSL2: GR B, X42, X52,X56, X60,X65,X70,X80

ASTM A53: GR A, GR B, ASTM A106: GR A, GR B, GR C

ASTM A335: P1,P2,95,P9,P11,P22,P23 ASTM A333:Gr.1, Gr.3, Gr.4, Gr.6, Gr.7, Gr.8, Gr.9, Gr.10, Gr.11

API 5CT, BS, JIS, DIN ,GB,EN以及其它相关国内外标准。

工厂已通过ISO9001:2008 国际质量管理体系认证，并获得美国石油学会认证的“API 5L PSL1/PSL2”和“API 5CT”资质 以及CE认证。



## Seamless Steel Pipe Production Base

Equipped with one set of 180mm seamless puncher, 11 sets hot-expanded equipment, the factory can produce seamless steel pipe:

Out diameter: 10.3mm to 914.4mm

Wall Thickness: 1.73- 40mm

Length: up to 12m

The annual production capacity can reach 350,000 metric tons.

All the pipe we produce are strictly complying with domestic & international quality standard,including:

API 5L PS1/PSL2: GR B, X42, X52,X56,

X60,X65,X70,X80

ASTM A53: GR A, GR B,

ASTM A106: GR A, GR B, GR C

ASTM A335: P1,P2,95,P9,P11,P22,P23

ASTM A333:Gr.1, Gr.3, Gr.4, Gr.6, Gr.7, Gr.8, Gr.9, Gr.10, Gr.11

API 5CT, BS, JIS, DIN , GB , EN and so on.

The factory has already awarded with ISO 9001:2008 International quality management system, API 5L PSL1/ PSL2 & API 5CT certificate issued by American Petroleum Institute and CE certificate.








## 架管生产基地

架管生产基地可生产直径为42mm, 48.3mm, 48.6mm, 50.8mm, 60.3mm, 63.5mm, 76mm壁厚2.0-4.0mm, 年生产量达15万吨。

产品生产严格遵循国内外质量标准, 包括BS1139, EN39, BS1387, EN10219, JIS G3444, AS 1657, IS等相关标准。

工厂已通过ISO9001:2008 国际质量管理体系认证, 并获得BS1139证书。



## Scaffolding Steel Tube Production Base

Factory's standard scaffolding tube size:

Out Diameter: 42mm, 48.3mm, 48.6mm, 50.8mm, 60.3mm, 63.5mm, 76mm

Wall thickness: 2.0 - 4.0mm

Length: up to 6m

Surface Processing: Hot dipped galvanized ,  
Electro Galvanized , Black or other color painted,  
Threaded, Engraved

Annual Production capacity: 150,000 metric tons.

Under the audit of ISO 9001:2008 quality management system, all the tubes we produced is strictly complying with domestic & international quality standard, such as BS1139, EN39, BS1387, EN10219, JIS G3444, AS 1657, IS and so on.





## 防腐钢管生产基地

工厂已通过ISO9001质量管理体系认证，现有三条具有国际先进水平3PE钢管防腐生产线，专业生产加工2PE、3PE、2PP、3PP、FBE，水泥砂浆衬里防腐，聚氨酯防腐，环氧煤沥青管道防腐，IPN8710无毒饮水管道防腐等其它内外防腐。产品广泛适用于海洋设施，石油化工，建筑行业和其他工矿企业的钢结构设备，各类储罐，输运管道等钢材的防腐

执行标准：DIN30670、DIN30671、AWWA C210等等其它相关标准

## Anti-corrosion Steel Pipe Production Base

Under the approval of ISO 9001 Quality Management System, the factory now process with three international advance 3PE anti-corrosion production line, professionally process 2PE, 3PE, 2PP, 3PP, FBE, 2FBE, Polyurethane, Coat Tar Epoxy Bitumen Coating, IPN8710 non-toxic drinking water pipeline internal coating, Cement mortar line and other external & internal coating.

The anti-corrosion is widely used in sea construction, oil & gas pipeline, water transmission, structure and steel pipe.

Normal Processing Standard: DIN 30670, DIN 30671, AWWA C210 and so on




众志成城，共铸辉煌

## 扣件生产基地

扣件生产基地目前已拥有三条完整的生产线，每月可生产量达80万个。

工厂严格遵循EN74 Class A & Class B, BS1139, AS1576等国内外扣件标准要求规范，生产各种类型的锻压和冲压扣件，包括直角扣件，旋转扣件以及各种异型扣件。

工厂已通过ISO9001:2008 国际质量管理体系认证，并取得EN74 和BS1139产品证书。




## Scaffolding Coupler Production Base

Assembling with three advanced production line, the factory can produce 800,000 of couplers per month.

The factory has already awarded with ISO 9001:2008 International quality management system and gained EN74 & BS1139 Certificate for products.

The factory is strictly complying with EN74 Class A & Class B, BS 1139, AS 1576 and other domestic & international coupler standard and regulations, manufacturing various drop forged & pressed coupler like double coupler , swivel coupler and other shaped couplers.





## 质量控制

信跃集团拥有专业的工程师, 优秀的生产团队以及严格的ISO9001质量管理体系, 时刻为客户打造安全、可靠、质量信得过的产品。

Xinyue Steel process with professional engineer & first-class production team and strict ISO 9001 quality and safety management system, pursuing to provide customer with safe, credible and quality trustworthy products.

## Quality Control

信跃坚持以质量求生存, 以技术进步谋发展, 始终把打造精品作为企业生存的基本法则, 通过进料质量控制、生产过程质量控制和成品检测控制, 保证为客户提供满意合格的产品。

The factory equip with strict on-line inspection facilities , including hydro statics testing, Magnetic Flux Leakage Inspection, Eddy Test, Ultra sonic test, X-ray test and so on.

Meanwhile , the factory have the mechanic and chemical laboratory, own flattening, tensile , impact , drop hammer and hardness tester; optical microscope, direct read spectrometer, intra-red C & S analysis instrument and so on, to meet the various inspection requirement.







# QUALIFICATIONS

and honors 资质荣誉……



Honor Witness History  
Strength Prospect Future

# HONOR



众志成城，共铸辉煌

## INTEGRITY IS THE FOUNDATION SERVE THE SOCIETY

客户的满意始终是信跃的第一位  
千锤百炼成就信跃品质  
信跃，您可以信赖的伙伴  
我们坚信品质是永续不变的潮流  
信跃—行业的领航者

Customers' full satisfaction is always Xinyue's first priority  
Severe controlled and steeled quality is Xinyue's soul  
Do the Respect and trustworthy enterprise  
We firmly believe the quality is the permanent core  
Xinyue - the pionner of the industry

